

The Library
of the
University of North Carolina



This book was presented
by
Mrs. R.F. Willingham

Folio
1 QK608
164
S39
v.4

Bot. lib.

Folio	Bot. lib.
QK608	Schweinitz
Q4	
S39	Fungorum Nikeinsium
v.4	icones.

DATE

ISSUED TO

This book must not
be taken from the
Library building.

This work was presented to the Department of Botany through W. C. Coker on Nov. 16, 1945, by Mrs. R. F. Willingham, Hotel Robert E. Lee, Winston-Salem, N. C. Mrs. Willingham was Miss Rosa Eleanor Fries, a double first cousin of Miss Adelaide Fries, through whose good offices the book was presented.

The first 3 volumes ^{+ vol. 5} are said by Miss Fries to be in the possession of The Academy of Natural Sciences of Philadelphia, where are also his herbarium and many of his books. Miss Fries says the other three volumes contain original drawings but, according to her rather vague memory, they were not in color.

We find from this volume that 33 figures shown herein appear also in Conspectus Fungorum of Albertini and Schweinitz (1805), which we have. There is nothing in this volume to show when it was produced or that Schweinitz was the author, but on the fly-leaf is written in pencil "Lewis D. de Schweinitz Drawn & painted by him at Niesky." The book was inherited from his collections by the ladies above mentioned, who are great granddaughters of de Schweinitz.

Miss Adelaide Fries tells W. C. Coker on Nov. 17, 1945, that the signature using the "de" rather than "von" was not due to his having married a Frenchwoman but because at that time, when practically all scientific work was in Latin, it was supposed that "de" was more appropriate for Latin than "von."

am. D. 20. Februar 1871
D. 10. 1871

Fungorum

Viskienſium

APC. V. C.

Pars. IV.


Classis I.

Angiocarpa.

Ordo primus

Sclerocarpus

Sphaeria.




75.




76.






77.




78.






74.




Pl.








P4.




P5.






89.



90.




91.







92.




93.




94.







95.



96.





97.






98.




99





100.







101.



102.





103.





104.



105




106.






107.



108.



109.







110.




111.





112.






113.



114.




115.



116.








117.




118.





119.





120.








121.




122.








127.



128




129





130.







131.




132.



133.




134.







135.




136.





137.



138.









139.




140.




141.






142.




143.




144.




145.







146.



147.



148.

Stilbospora.




2.



3.



4.



5.



Hysterium.




10.






11.



12.





Tubercularia.


Naemaspora.



4. J.




4. N.



Kyloma.






11.




12.







13.



14.







Ordo secundus.



Sarcocarpi.

Thelebolus.

Pilobolus.



T. 1.



T. 2.




T. 3.



Sclerotium.



10.



11.



12.





13.



14.



47
Suber.



1.



2.



Ordo tertius.

Dermatocarpi


Gastrum.



3.



Bovista.



2.

Lycoperdon.




f.








2.




3.






Scleroderma.



2.




3.



Pisolithus.




A.





Juligo.






4.






5.




Spumaria.




Diderma.





Physarum.







12.



13.




14.






15.




16.



17.



10.



Luligo muscorum. 6.




Licea 4.

Trichia.


Arcyria.




9.



10.





5. A.




Stemonitis.





5.



6.





7.




Cribraia.




3.





4.





5.







11.





8.







9-





10.



Liceda. Nucor.





B. L.




N. M.




83
Chordostylum.



Cnygna.




Aecidium.




13.




14.





15.






16.




17.




18.



19.




20.






21.







22.



23.



24.



Uredo.




14.





15.



16.



17.





21.



22.





23.






24.



25.



26.





27.



28.



29.





33.



34.



35.




Puccinia



6.



7.




8.






9.




10.




11.



Trichoderma



5.





6.



7.



Conoptea.



Index

A. Hungorum.

Aecidium.

abietinum	Tab. 330. fig. 24.
asperifolium	336 - 17.
<i>β. bullat</i>	18.
berkeleyi	336 - 19.
columnare	338 - 23.
elatine	22.
galii	334 - 15.
oxyactiniae	13.
penicillatum	14.
ranunculidis	336 - 20.
Silicatarum	337 - 21.
Tupilaginis	335 - 16.

Arceuthobium

leucocapitata	326 - 54.
---------------	-----------

Bovista.

plumbea	311 - 2.
---------	----------

Chordostylum

capillare	332 - 1.
-----------	----------

Conoplea

hispidula	349 - 2.
atra	3.

Cribraria

argillacea	329 - 8.
aurantia	330 - 9.
cernua	328 - 3.
macrocarpa	329 - 6.
microcarpa	328 - 4.
rufescens	329 - 7.
tenella	330 - 10.
venosa	328 - 5.

Diderma.

globosum	321 - 6.
umbilicatum	5.

Fuligo.

lanceolata	318 - 3.
flava	319 - 4.
muscorum	325 - 6.
rufa	318 - 1.
vaporaria	319 - 5.
violacea	318 - 2.

Geastrum.

pectinatum	310 - 3.
------------	----------

Hyssurium.

axundinaceum	300 - 15.
angustatum	299 - 11.
ciliatum	12.
crispum	300 - 14.
globosum	299 - 10.
phacoides	300 - 13.

Liccia

bicolor	331 - 5.
incarnata	325 - 4.

Lycopodium

bovista	312 - 1.
candidum, purlat.	314 - 5.
echinatum	315 - 6.
exiguiforme	314 - 4.
pedunculatum	313 - 2.
quercinum	315 - 7.
umbellatum	313 - 3.

Mucor

caninus.	Tab. 331. f. 7.
----------	-----------------

Naemaspora

populnea	301 - 4. A.
----------	-------------

Onygena

corvinum	333 - 1.
equinum	2.

Physarium

aurantium	323 - 13.
bivalve	322 - 9.
clavus	324 - 15.
confluens	322 - 10.
flavovirens	324 - 14.
leucostylum	16.
musficola	322 - 11.
nataus	323 - 14.
reticulatum	325 - 18.
viride	323 - 12.

Pilobolus.

noxius	306 - 20.
--------	-----------

Polidinus

arenarius	317 - 1.
-----------	----------

Puccinia

Circaeae	347 - 10.
Menthae	346 - 7.
polygoni amphitrici	8.
<i>avicularis</i>	347 - 9.
pruni spinosi	346 - 6.
Vallantiae	347 - 11.

Scleroderma

citrinum	316 - 2.
spadicum	3.

Sclerotium

brassicae	307 - 11.
Ensisphae (congl.)	308 - 13.
muscorum	307 - 12.
pubescens	10.
Spinaeoides	308 - 14.

Stilbospora.

angustata	298 - 4.
asterosperma	2.
microsperma	5.
ovata	3.

Stemonitis.

Physaroides	327 - 5.
papillata	6.
tubulina	7.

Spumaria

mucilago	320 - 1.
physaroides	2.

Vide ult.

I Index Fungorum

Sphaeria

<i>acrosperma</i>	Tab. 294	fig. 135.
<i>aeophodii</i>	293	134.
<i>alutacea</i>	274	46.
<i>ambiens</i>	285	105.
<i>anethi</i>	280	89.
<i>artocreas</i>	291	123.
<i>aurantia</i>	289	110.
<i>biformis</i>	288	115.
<i>bombarda</i>	296	122.
<i>ciliata</i>	282	96.
<i>citrina</i>	276	80.
<i>cohaerens</i>	275	77.
<i>comata</i>	293	132.
<i>compressa</i>	287	111.
<i>conica</i>	294	130.
<i>corniculata</i>	284	102.
<i>cristata</i>	287	110.
<i>cylinidrica</i>	294	136.
<i>dianthi</i>	296	144.
<i>diminuens</i>	287	112.
<i>doliolum</i>	291	124.
<i>dubia</i>	294	137.
<i>epigaea</i>	297	148.
<i>exilis</i>		146.
<i>faginea</i>	285	106.
<i>fuliginosa</i>	282	95.
<i>filiformis</i>	274	75.
<i>fissa</i>	291	125.
<i>flaccida</i>	295	140.
<i>graminis</i>	279	87.
<i>hemisphaerica</i>	295	141.
<i>himantia</i>	293	133.
<i>hirsuta</i>	290	121.
<i>insetiva</i>	277	81.
<i>inquinans</i>	292	129.
<i>laburni</i>	286	108.
<i>leucostoma</i>	282	97.
<i>lignea</i>	277	83.
<i>lineata</i>	288	113.
<i>microstoma</i>	283	100.
<i>mucosa</i>	281	94.
<i>mutabilis</i>	289	119.
<i>operculata</i>	292	126.
<i>pullida</i>	275	78.
<i>pucea</i>	280	90.
<i>pini</i>	284	101.
<i>pilosa</i>	290	120.
<i>peritusa</i>	292	127.
<i>poronia</i>	276	79.
<i>populina</i>	286	109.
<i>pteridis</i>	296	145.
<i>pulveracea</i>	292	128.
<i>pustulata</i>	284	103.
<i>quaternata</i>	285	104.

Sphaeria

<i>radula</i>	Tab. 283	fig. 99.
<i>rhodostoma</i>	296	142.
<i>rorella</i>	295	139.
<i>seriata</i>	289	117.
<i>solanii</i>	288	116.
<i>stricta</i>	288	114.
<i>scutellata</i>	283	98.
<i>spiculosa</i>	281	93.
<i>strigosa</i>	296	143.
<i>strigiformis</i>	280	91.
<i>tepsella</i>	286	107.
<i>tiliae</i>	292	130.
<i>trifolii</i>	279	88.
<i>tristis</i>	293	131.
<i>tubulina</i>	278	84.
<i>typhina</i>	279	86.
<i>undulata</i>	277	82.
<i>velata</i>	281	92.
<i>versiformis</i>	297	147.
<i>viridis</i>	278	85.

Thelobolus

<i>torrefactus</i>	306	1.
<i>stercoreus</i>		2.

Trichia

<i>fallax</i>	326	9.
<i>serpula</i>		10.

Trichoderma

<i>dubicum</i>	348	6.
<i>nigrescens</i>		5.
<i>tuberculatum</i>		7.

Tuber

<i>album</i>	309	2.
<i>vinescens</i>		1.

Tubercularia

<i>crinita</i>	301	4.
----------------	-----	----

Uredo

<i>alchemillae</i>	339	15.
<i>betulae</i>	342	25.
<i>bullata</i>	343	28.
<i>canicis</i>	345	34.
<i>cheiranthi</i>	345	33.
<i>coracae</i>	341	22.
<i>dentariae</i>	343	29.
<i>floerulorum</i>	344	30.
<i>flavariae</i>	344	31.
<i>Ledi</i>	341	23.
<i>menthae</i>		21.
<i>mycophila</i>	339	14.
<i>pustulata</i>	340	20.
<i>rosae cenisifoliae</i>	339	16.
<i>rubri idatae</i>	340	18.
<i>scutellata</i>	342	24.
<i>Sempervivi</i>	341	32.
<i>Sonchi arvensis</i>	339	17.
<i>suaveolens</i>	342	26.
<i>Tupilaginis</i>	340	19.
<i>viciae fabae</i>	343	27.
<i>violacea</i>	345	35.

Index Fungorum.

Xyloma

acerinum	Tab. 302. fig. 9.
Ledi	305 — 16.
nervale	— — 15.
pezizoides	303 — 12.
pini	304 — 14.
potentillae	304 — 13. herbarium
sphaeroides	303 — 11.
stellare	302 — 10.

Index

B. Tabularum.

Tabula 274. fig. 75.	<i>Sphaeria filiformis.</i>
— — — 76	<i>alutacea.</i>
— 275 — 77	<i>cohaerens.</i>
— — — 78	<i>pallida.</i>
— 276 — 79	<i>poronia.</i>
— — — 80	<i>citrina.</i>
— 277 — 81.	<i>insitiva.</i>
— — — 82	<i>undulata.</i>
— — — 83.	<i>lignea.</i>
— 278 — 84	<i>tubulina</i>
— — — 85	<i>viridis.</i>
— 279 — 86	<i>typhina</i>
— — — 87	<i>graminis.</i>
— — — 88	<i>trifolii.</i>
— 280 — 89	<i>anethi.</i>
— — — 90	<i>picca</i>
— — — 91	<i>striatiformis.</i>
— 281 — 92	<i>velata.</i>
— 281 — 93	<i>spiculosa</i>
— — — 94	<i>mucosa.</i>
— 282 — 95	<i>ferruginea</i>
— — — 96	<i>ciliata</i>
— — — 97	<i>leucostoma.</i>
— 283 — 98	<i>scutellata</i>
— — — 99	<i>radula</i>
— — — 100	<i>microstoma.</i>
— 284 — 101	<i>pini</i>
— — — 102	<i>corniculata</i>
— — — 103	<i>pushtulata.</i>
— 285 — 104	<i>quaternata</i>
— 285 — 105	<i>ambiens.</i>
— — — 106	<i>faginea.</i>
— 286 — 107	<i>tepsella.</i>
— — — 108	<i>laburni</i>
— — — 109	<i>populina</i>
— 287 — 110	<i>cristata</i>
— — — 111	<i>compressa.</i>
— — — 112	<i>diminuens.</i>

Index Tabularum.

Tabula: 200. fig.	113	<i>Sphaeria lineata.</i>
	114	<i>stricta.</i>
	115	<i>biformis.</i>
	116	<i>Solani.</i>
209	117	<i>seriata.</i>
	118	<i>aurantia.</i>
	119	<i>mutabilis.</i>
290	120	<i>pileosa.</i>
	121	<i>hirsuta.</i>
	122	<i>bombarda.</i>
291	123	<i>artocreas.</i>
	124	<i>doliolum.</i>
	125	<i>fissa.</i>
	126	<i>operculata.</i>
292	127	<i>portula.</i>
	128	<i>pulveracea.</i>
	129	<i>inguinans.</i>
	130	<i>tiliae.</i>
293	131.	<i>tristis.</i>
	132	<i>comata.</i>
	133	<i>hirsutia.</i>
	134	<i>aegopodii.</i>
294	135	<i>acrospermum.</i>
	136	<i>cylindrica.</i>
	137	<i>dubia.</i>
	138	<i>conica.</i>
295	139	<i>rosetta.</i>
	140	<i>flavida.</i>
	141	<i>hemisphaerica.</i>
296	142	<i>rhodostoma.</i>
	143	<i>strigosa.</i>
	144	<i>dianthi.</i>
	145	<i>Peridii.</i>
297	146	<i>exilis.</i>
	147	<i>versiformis.</i>
	148	<i>epigaea.</i>
298	2.	<i>Stilbospora asterosperma.</i>
	3	<i>ovata.</i>
	4.	<i>angustata.</i>
	5	<i>microsperma.</i>
299	10.	<i>Hysterium globosum.</i>
	11	<i>angustatum.</i>
	12	<i>inereum.</i>
300	13	<i>Sphaeroides</i>
	14	<i>crispum.</i>
	15	<i>arundinaceum.</i>
301	4.T	<i>Suberularia orinita.</i>
	4.N.*	<i>Naemaspora populnea.</i>
302	9	<i>Xyloma acerinum.</i>
	10	<i>stellare.</i>

Index Tabularum.

Tabula	303.	fig. 11.	* Xyloma sphaeroides.
		12	perizoides.
	304	13	potentillae
		14	pini.
	305	15	nervale
		16	Ledi.
	306	1.	* Thelobolus terrestris.
		2	stercorarius.
		2 V.	* Pilobolus roridus.
	307	10.	* Sclerotium pubescens.
		11.	brassicae
		12	muscorum.
	308	13	Engelmanni.
		14	sphaeroides.
	309	1	* Tulier - virens.
		2	album.
	310	3.	* Geastrum pectinatum.
	311	2	Bovista plumbea.
	312	1.	* Lycoperdon Bovista. fere. ac junct.
	313	2	pratensis
		3.	umbrinum
	314	4.	cecupuliforme
		5	perlatum ac candidum.
	315	6	echinatum
		7	quercinum.
	316	2.	* Scleroderma citrinum
		3	spadicum.
	317	* 1.	* Psolisthus arenarius.
	318	1	* Fuligo nufa.
		2.	violacea
		3	candida
	319	4	flava
		5	vaporaria.
	320	1.	Spumaria mucilago.
		2	phylloides.
	321	5.	* Didyma umbilicatum.
		6	globosum.
	322	9.	* Phyllosum bivalve
		10	conflans
		11	musficola.
	323	12.	viride.
		13	aurantium
		14	mutans.
	324	15	clavus.
		16	leucosyllum
		17	flavovirens
	325	18	reticulatum
		6	* Fuligo muscorum
		4	* Licea incarnata.

Index Tabularum.

Tabula. 326.	fig. 9.	<i>Trichia fallax.</i>
	10	<i>serpula</i>
	5 A.	<i>Arayria leucocephala.</i>
327	5.	<i>Stemonitis physaroides.</i>
	6	<i>papillata.</i>
	7.	<i>tubulina.</i>
328	3.	<i>Cribraria cornua.</i>
	4	<i>microcarpa</i>
	5	<i>venosa.</i>
329	6	<i>macrocarpa.</i>
	7.	<i>rufescens.</i>
	8	<i>argillacea.</i>
330	9	<i>aurantia</i>
	10	<i>senella.</i>
331	5.	<i>Licea bicolor</i>
	7.	<i>Mucor caninus.</i>
332	1.	<i>Chondostylum capillare.</i>
333	1.	<i>Orygena corvinum</i>
	2	<i>equinum.</i>
334	13	<i>Heccidium oxyacanthae.</i>
	14	<i>penicillatum.</i>
	15	<i>galii.</i>
335	16	<i>hypsilaginis.</i>
	17	<i>asperifolii.</i>
	18	<i>bullatum.</i>
336	19	<i>berberidis.</i>
	20	<i>ranunculi acris.</i>
337	21	<i>Lii falcariae.</i>
338	22	<i>clatire</i>
	23	<i>columnare</i>
	24	<i>abietinum.</i>
339	14.	<i>Uredo mycophila</i>
	15	<i>alchemillae</i>
	16	<i>rosae centrifoliae.</i>
	17	<i>Sorichi arvensis.</i>
340	18	<i>rubi Idaeae</i>
	19	<i>Thysitraginis.</i>
	20	<i>pustulata.</i>
341	21.	<i>menthae.</i>
	22	<i>Circariae</i>
	23	<i>Ledi.</i>
342	24	<i>scutellariae</i>
	25	<i>betulae.</i>
	26	<i>francoensis.</i>
343	27.	<i>viciae fabae</i>
	28	<i>bullata</i>
	29	<i>Dentariae.</i>

Index Tabularum.

Tabula	344.	fig. 30.	* Uredo	flosculiformis
—	—	31	—	ficariae
—	—	32	—	sempervivae
—	345	— 33	—	cheiranthi
—	—	34	—	caricis.
—	—	35	—	violaceae.
—	346	— 6	* Puccinia	pruni spinosae.
—	—	7	—	Menthae
—	—	8	—	polygoni amphibii
—	347	— 9	—	— avicularis
—	—	10	—	Circaeae
—	—	11.	—	Vallantiae.
—	348	— 5	* Trichoderma	nigrescens
—	—	6	—	Tubium
—	—	7	—	tuberculatum.
—	349	— 2	* Conopsea	hispida.
—	—	3	—	atra.

